




Chicken Basics

John Geib Master Gardener Abilene, TX

Health Warning



SURGEON GENERAL'S WARNING:

Backyard chicken keeping can be addictive and lead to OCD (Obsessive Chicken Disorder). At this time, there is no known cure, but there are support groups available to enable you further. Proceed at your own risk!

Overview

Requirements

Acquiring

Upkeep / Maintenance

Meat or eggs

Starting Place

- •Is it legal?
 - City
 - Noise
 - Smell
 - Pests
 - Disease
 - Property Values
 - Enforcement Concerns
 - HOA
 - County

Decisions

Eggs

Meat

• Both?

Acquiring

Feed store

Online from hatcheries

Online – Social media

Grow your own from seeds

Acquiring Chicks

- Feed store
 - Pros
 - No wait
 - Cons
 - Limited selection
 - No wait
- Online from hatcheries
 - Pros
 - Selection
 - Cons
 - Wait for them to come

Ctrossos shields

Acquiring Chicks

- Social Media Facebook
 - Pros
 - No wait
 - Selection can be good
 - Cons
 - No clue what you are getting
 - No clue what you are getting
- Grow your own from seeds
 - Pros
 - You MAY know what you are getting
 - Cons
 - Wait for them to come

Basic Requirements

Food

Water

SAFE warm shelter

Contain the chicks

Draft free

- Soft floor
 - Paper towels
 - Shavings

Heat lamp or plate

Food & Water - Chicks

- High Protein
 - **.** 18-20%
 - Medicated or not

Crumbles

• Grit

Fresh clean water – ALWAYS available

- 1/ caft nor shick

Chicks Day 1

Have heat lamp/plate on before getting chicks

Place paper towels over shavings

Unpackage chicks 1 at a time

Dip beak in water

Scatter feed on ground

Chicks Ongoing

Slowly adjust heat lamp/plate

Remove paper towels after a day

Watch for pasty butt

Keep fed and watered

Keep shavings clean

Food – Teenagers 6-10 weeks

- Protein
 - 16-18% Layers
 - 20% Meat birds

Crumbles or pellets

Grit

Food - Adulthood

Meat birds – not an issue

- Layers
 - 16-18% protein
 - Crumbles or pellets
 - Grains
 - Food scraps
 - Oyster Shell free choice

Cages

Chick-shaws

Tractors

Chick-shaws



Tractors



- Cages
 - Birds need 3 sqft per bird MINIMUM

Chick-shaws

Tractors














Predators

Location dependent

- Dogs
- Cats
- Raccon
- Skunk
- Snakes
- Hawks
- Coyote
- Bobcat
- Mountain Lions
- Humans
- Chickens









Electric Poultry Netting



Eggs

- Amount depends on bred
 - 50 300 eggs per year

Lights in winter extend production

Refrigerate or not?

Rooster not needed except for babies

Meat Birds

No Processing facilities nearby

Not hard but...

- YouTube videos are helpful
 - Joel Salatin | Broiler Processing Demo Homesteaders of America 2019
 - Joel Salatin Processes Chickens MOTHER EARTH NEWS FAIR
 - Polyface Farm Joel Salatin butchering chickens

Online resources

- Hatchery websites
- TAMU Poultry Science Department
- Facebook
 - Friends of Roots and Refuge Farm
 - Abilene TX Area Poultry
- Books Storey's guide to Chickens

QUESTIONS?

www.bcmgtx.org

Big Country Master Gardeners on Facebook



